

MAKING AN ENTRANCE IN STYLE

# INTRO

## THE PERFECT HOME DEMANDS A PERFECT DOORWAY

*With over 20 years' building industry experience  
We provide innovative British designed products, using  
high quality British – designed materials at a sensible price.  
We supply national construction companies, builders'  
merchants  
as well as selling direct from our website.*

*We're proud to make over 90% of our products in the UK.  
This allows flexibility on certain canopies regarding sizes  
and colours. For your peace of mind, all our Glass,  
Polycarbonate and Metal door canopies exceed  
UK snow load and wind pressure tests.*

# CONTENTS

## GLASS DOOR CANOPIES

Type C Contemporary glass door canopy	5
Type G Glass door canopy – with optional bespoke lettering	6
Type J Traditional style scroll design	7
Type K Glass door canopy – with steel brackets	8
Type M Glass door canopy – with gallows brackets	9
Type P Frameless glass door canopy	10

## POLYCARBONATE DOOR CANOPIES

Type A Curved door canopy	12
Type B Straight door canopy	13
Type D Bespoke curved door canopy	14
Type E Bespoke straight door canopy	15
Type F Forward curved door canopy	16
Type H Scroll brackets & forward curved door canopy	17

## METAL & BESPOKE DOOR CANOPIES

Type L Bespoke steel with tie rods	19
------------------------------------	----

## TRADITIONAL DOOR CANOPIES

Langdale, Ambleside	20
Coniston, Derwent, Fewston	21
Grassmere, Keilder, Keswick	22
Thirlmere, Ullswater, Windermere	23



# GLASS DOOR CANOPIES

# CONTEMPORARY GLASS DOOR CANOPY

TYPE  
C

## WITH TOUGHENED GLASS, METAL FRAME AND RAILS

A modern door canopy with slim 10mm toughened safety glass.



### PRODUCT DESCRIPTION

- Slim powder coated mild steel supports with a 10mm thick toughened glass top with polished edges
- 'T' section cross members
- Approximate 3 degree fall from wall edge to front for water run-off

### MATERIALS

- Mild steel (primed and powder coated) or marine grade 316 stainless steel
- 10mm toughened safety glass which complies with load and pressure standards set out in EN12150 and BS5516-2
- Fixing template included

### FINISH OPTIONS

- Mild steel powder coated in RAL9006 grey/silver or 316 stainless steel, brushed satin finish.



MADE IN THE UK



WIND CERTIFIED  
Pressure Tested  
BS5516-2



SNOWLOAD CERTIFIED  
Load Tested  
EN 12150

FIG. 01





FIG. 02



Sizes (Width x Projection)	1354 x 755mm	1544 x 755mm	2010 x 755mm
Dim. A – Overall Width	1354mm	1544mm	2010mm
Dim. B – Fixing Centres	1154mm	1344mm	1879mm
Glass thickness	10mm	10mm	10mm
No. of supports	2	2	3

\*Bespoke sizes available, please call for a quotation



# GLASS DOOR CANOPY

TYPE  
G

## WITH OPTIONAL BESPOKE LETTERING

Personalised with the addition of branding or lettering



### PRODUCT DESCRIPTION

- Deep sectional support struts with an option to have laser cut lettering
- Available in either powder coated mild steel or marine grade 316 stainless steel
- Approximate 3 degree fall from wall edge to front for water run-off



MADE IN  
THE UK

### MATERIALS

- Mild steel (primed and powder coated) or marine grade 316 stainless steel
- 10mm toughened safety glass with polished edges which complies with load and pressure standards set out in EN12150 and BS5516-2
- Fixing template included



WIND  
CERTIFIED  
Pressure Tested  
BS5516-2

### FINISH OPTIONS

- Powder coated in RAL9006 grey/silver or marine grade 316 stainless steel (brushed satin finish)  
Laser cut lettering in a variety of font styles



SNOWLOAD  
CERTIFIED  
Load Tested  
EN 12150

FIG. 01





FIG. 02



Sizes (Width x Projection)	1354 x 755mm	1544 x 755mm	2010 x 755mm
Dim. A – Overall Width	1354mm	1544mm	2010mm
Dim. B – Fixing Centres	1154mm	1344mm	1879mm
Glass thickness	10mm	10mm	10mm
No. of supports	2	2	3

\*Bespoke sizes available, please call for a quotation

# TRADITIONAL STYLE SCROLL DESIGN

TYPE  
**J**

## WITH STAINLESS STEEL CLAMP FITTINGS

A strong and robust canopy with laser cut scroll brackets made from mild steel



### PRODUCT DESCRIPTION

- Combining traditional scroll design with glass
- Brackets are laser cut 10mm mild steel finished in authentic leatherette which gives a textured finish similar to wrought iron, but at a lower cost
- Approximate 15 degree fall from wall edge to front for water run-off

### MATERIALS

- Brackets 10mm laser cut mild steel
- 10mm toughened safety glass with polished edges which complies with load and pressure standards set out in EN12150 and BS5516-2
- Fixing template included

### FINISH OPTIONS

- Powder coated, black leatherette textured finish (similar to wrought iron) or RAL9006 grey/silver



MADE IN THE UK



WIND CERTIFIED  
Pressure Tested  
BS5516-2



SNOWLOAD CERTIFIED  
Load Tested  
EN 12150

FIG. 01





FIG. 02



Sizes (Width x Projection)	1354 x 755mm	1544 x 755mm	2010 x 755mm
Dim. A – Overall Width	1354mm	1544mm	2010mm
Dim. B – Fixing Centres	1154mm	1344mm	1879mm
Glass thickness	10mm	10mm	10mm
No. of supports	2	2	3

\*Bespoke sizes available, please call for a quotation

# GLASS DOOR CANOPY

TYPE  
**K**

## WITH GALLOWS BRACKETS

A simple, elegant design that looks great on period and contemporary properties



### PRODUCT DESCRIPTION

- Flat glass door canopy with gallow brackets
- Fabricated from a choice of mild steel or stainless steel
- 3 degree fall from wall edge to front for water run-off

### MATERIALS

- Mild steel (primed and powder coated) or marine grade 316 stainless steel
- 10mm toughened safety glass with polished edges which complies with load and pressure standards set out in EN12150 and BS5516-2
- Fixing template included

### FINISH OPTIONS

- Primed and powder coated in RAL9006 grey/silver or marine grade 316 stainless steel, brushed satin finish



MADE IN  
THE UK



WIND  
CERTIFIED  
Pressure Tested  
BS5516-2



SNOWLOAD  
CERTIFIED  
Load Tested  
EN 12150

FIG. 01





FIG. 02



Sizes (Width x Projection)	1354 x 755mm	1544 x 755mm	2010 x 755mm
Dim. A – Overall Width	1354mm	1544mm	2010mm
Dim. B – Fixing Centres	1154mm	1344mm	1879mm
Glass thickness	10mm	10mm	10mm
No. of supports	2	2	3

\*Bespoke sizes available, please call for a quotation



# GLASS DOOR CANOPY

TYPE  
M

## WITH TUBULAR STAINLESS STEEL BRACKETS

Contemporary straight door canopy for residential and commercial use



### PRODUCT DESCRIPTION

- 42.4mm diameter stainless steel tubular supports
- Stainless steel glass bush fittings
- Approximate 3 degree fall from wall edge to front for water run-off



MADE IN THE UK

### MATERIALS

- Marine grade 316 stainless steel is used for all metal components
- 10mm toughened safety glass with polished edges which complies with load and pressure standards set out in EN12150 and BS5516-2
- Fixing template included



WIND CERTIFIED  
Pressure Tested  
BS5516-2

### FINISH OPTIONS

- Brushed satin finish



SNOWLOAD CERTIFIED  
Load Tested  
EN 12150

FIG. 01





FIG. 02



Sizes (Width x Projection)	1354 x 755mm	1544 x 755mm	2010 x 755mm
Dim. A – Overall Width	1354mm	1544mm	2010mm
Dim. B – Fixing Centres	1154mm	1344mm	1879mm
Glass thickness	10mm	10mm	10mm
No. of supports	2	2	3

\*Bespoke sizes available, please call for a quotation

# FRAMELESS GLASS DOOR CANOPY

TYPE  
**P**

## WITH A STAINLESS STEEL AWNING SYSTEM

A simple, elegant design that looks great on period and contemporary properties



### PRODUCT DESCRIPTION

- Minimalistic glass canopy with 316 stainless steel ties and fixings
- Stainless steel wall fixings and fitting template included
- Approximate 5 degree fall from edge to front for water run-off (adjustable)



DESIGNED IN  
THE UK

### MATERIALS

- Marine grade 316 stainless steel is used for all metal components
- 10mm toughened safety glass with polished edges which complies with load and pressure standards set out in EN12150 and BS5516-2
- Fixing template included



WIND  
CERTIFIED  
Pressure Tested  
BS5516-2

### FINISH OPTIONS

- Brushed satin finish



SNOWLOAD  
CERTIFIED  
Load Tested  
EN 12150

FIG. 01





FIG. 02



Sizes (Width x Projection)	1354 x 755mm	1544 x 755mm	2010 x 755mm
Dim. A – Overall Width	1354mm	1544mm	2010mm
Dim. B – Fixing Centres	1154mm	1344mm	1879mm
Glass thickness	10mm	12mm	10mm
No. of supports	2	2	3

\*Bespoke sizes available, please call for a quotation

# POLYCARBONATE CANOPIES





# CURVED DOOR CANOPY

TYPE  
**A**

## WITH 6MM THICK UV STABLE POLYCARBONATE SHEET

Contemporary curved door canopy for residential and commercial use



### PRODUCT DESCRIPTION

- Curved contemporary door canopy with 6mm polycarbonate
- Polycarbonate is UV stable and guaranteed against discolouration for 10 years
- Available in two projections 530mm or 755mm

### MATERIALS

- Mild steel (primed and powder coated) or marine grade 316 stainless steel
- 6mm polycarbonate
- Fixing template included

### FINISH OPTIONS

- Primed and powder coated in RAL9006 grey/silver or marine grade 316 stainless steel, brushed satin finish



MADE IN THE UK



WIND CERTIFIED  
Pressure Tested  
BS5516-2



SNOWLOAD CERTIFIED  
Load Tested  
EN 12150



UV STABLE

FIG. 01





FIG. 02



SIZES	WIDTH (DIM. A) x PROJECTION		
	1220 x 530 or 755mm	1490 x 530 or 755mm	2025 x 530 or 755mm
Dim. A – Overall Width	1195mm	1465mm	2010mm
Dim. B – Fixing Centres	1115mm	1310mm	1855mm
Polycarbonate thickness	6mm	6mm	6mm
No. of supports	2	2	2

\*Bespoke sizes available, please call for a quotation

# STRAIGHT DOOR CANOPY

TYPE  
**B**

## WITH 6MM THICK UV STABLE POLYCARBONATE SHEET

Straight door canopy, contemporary design for modern domestic properties



### PRODUCT DESCRIPTION

- Straight contemporary door canopy with 6mm polycarbonate
- Polycarbonate is UV stable and guaranteed for 10 years
- Available in two projections 530mm or 755mm

### MATERIALS

- Mild steel (primed and powder coated) or marine grade 316 stainless steel
- 6mm polycarbonate UV stable
- Fixing template included

### FINISH OPTIONS

- Primed and powder coated in RAL9006 grey/silver or marine grade 316 stainless steel, brushed satin finish



MADE IN THE UK



WIND CERTIFIED  
Pressure Tested  
BS5516-2



SNOWLOAD CERTIFIED  
Load Tested  
EN 12150



UV STABLE

FIG. 01





FIG. 02



SIZES	WIDTH (DIM. A) x PROJECTION		
	1220 x 530 or 755mm	1490 x 530 or 755mm	2025 x 530 or 755mm
Dim. A – Overall Width	1220mm	1490mm	2025mm
Dim. B – Fixing Centres	1154mm	1344mm	1879mm
Polycarbonate thickness	6mm	6mm	6mm
No. of supports	2	2	2

\*Bespoke sizes available, please call for a quotation



# BESPOKE CURVED DOOR CANOPY

TYPE  
D

## WITH 6MM THICK UV GRADE POLYCARBONATE SHEET

Contemporary door canopies for residential and commercial properties



### PRODUCT DESCRIPTION

- Contemporary curved door canopies for residential and commercial properties. Available in almost any size
- Clear UV stable 6mm thick polycarbonate roof
- Powder coated (any standard RAL colour) mild steel frame or brushed marine grade 316 stainless steel



MADE IN THE UK

### STRUCTURAL INFORMATION:

- We can design with standard fixing poles, gallows brackets, overhead supports or canopy to ground supporting posts
- Fixing template included




WIND CERTIFIED  
Pressure Tested  
BS5516-2



SNOWLOAD CERTIFIED  
Load Tested  
EN 12150

FIG. 01

FIG. 02



### SIZES

We can make to all sizes, please contact us to discuss your requirements

\*Bespoke sizes available, please call for a quotation

# BESPOKE STRAIGHT DOOR CANOPY

TYPE  
**E**

## WITH 6MM THICK UV STABLE POLYCARBONATE SHEET

Straight door canopy, contemporary design for modern domestic properties



### PRODUCT DESCRIPTION

- Contemporary straight door canopies for residential and commercial properties. Available in almost any size
- Clear UV stable 6mm thick polycarbonate roof
- Powder coated (any standard RAL colour) mild steel frame or brushed marine grade 316 stainless steel



MADE IN  
THE UK

### STRUCTURAL INFORMATION:

- We can design with standard fixing poles, gallows brackets, overhead supports or canopy to ground supporting posts
- Fixing template included



WIND  
CERTIFIED  
Pressure Tested  
BS5516-2



SNOWLOAD  
CERTIFIED  
Load Tested  
EN 12150

FIG. 01





FIG. 02



### SIZES

We can make to all sizes, please contact us to discuss your requirements

\*Bespoke sizes available, please call for a quotation

# FORWARD CURVED DOOR CANOPY

TYPE  
**F**

## WITH 6MM THICK UV STABLE POLYCARBONATE SHEET

Contemporary curved door canopy for residential and commercial use



### PRODUCT DESCRIPTION

- Forward curved door canopy
- Steel tapered arch brackets and cross members
- Three Standard sizes

### MATERIALS

- Mild steel (primed and powder coated) or marine grade 316 stainless steel
- 6mm polycarbonate
- Fixing template included

### FINISH OPTIONS

- Primed and powder coated in RAL9006 grey/silver or marine grade 316 stainless steel, brushed satin finish



MADE IN  
THE UK



WIND  
CERTIFIED  
Pressure Tested  
BS5516-2



SNOWLOAD  
CERTIFIED  
Load Tested  
EN 12150

FIG. 01





FIG. 02



SIZES	WIDTH (DIM. A) x PROJECTION		
	1220 x 720mm	1490 x 720mm	2025 x 720mm
Dim. A – Overall Width	1220mm	1490mm	2025mm
Dim. B – Fixing Centres	1154mm	1424mm	1959mm
Polycarbonate thickness	6mm	6mm	6mm
No. of supports	2	2	2

\*Bespoke sizes available, please call for a quotation

# SCROLL BRACKETS & FORWARD CURVED

TYPE  
**H**

## WITH 6MM THICK UV GRADE POLYCARBONATE SHEET

Forward curve door canopy, to enhance both traditional and modern buildings



### PRODUCT DESCRIPTION

- Combining traditional scroll design with a forward curve
- Brackets are laser cut 10mm mild steel finished in authentic leatherette which gives a textured finish similar to wrought iron but at a lower cost
- Clear 6mm polycarbonate sheet

### MATERIALS

- Mild steel (primed and powder coated) or marine grade 316 stainless steel
- 6mm polycarbonate
- Fixing template included

### FINISH OPTIONS

- Powder coated, black leatherette textured finish (similar to wrought iron) or RAL9006 grey/silver



MADE IN THE UK



WIND CERTIFIED  
Pressure Tested  
BS5516-2



SNOWLOAD CERTIFIED  
Load Tested  
EN 12150

FIG. 01





FIG. 02



SIZES	WIDTH (DIM. A) x PROJECTION		
	1220 x 720mm	1490 x 720mm	2025 x 720mm
Dim. A – Overall Width	1220mm	1490mm	2025mm
Dim. B – Fixing Centres	1044mm	1291mm	1826mm
Polycarbonate thickness	6mm	6mm	6mm
No. of supports	2	2	2

\*Bespoke sizes available, please call for a quotation



# METAL & BESPOKE CANOPIES





# METAL & BESPOKE DOOR CANOPY

TYPE

L

## WITH STEEL TIE RODS

Available in custom widths and colours. Trade discounts on bulk orders.



### PRODUCT DESCRIPTION

- Fabricated 2mm Zintec steel door canopy with steel tie rods
- Made to order to any size
- Available in choice of colours
- Integrated gutter detail available

### STRUCTURAL INFORMATION:

- Mild steel (primed and powder coated)
- Fixing template included



MADE IN THE UK



WIND CERTIFIED  
Pressure Tested  
BS5516-2



SNOWLOAD CERTIFIED  
Load Tested  
EN 12150

FIG. 01





FIG. 02



### SIZES

We can make to all sizes, please contact us to discuss your requirements

# TRADITIONAL GRP CANOPIES

## LANGDALE CANOPY DUO-PITCH




A traditional style door canopy with fleur-de-lis style pediment and pitched tile-effect roof.

The door canopy roof has a lead-effect flashing and is supplied with gallows brackets.

**Colours:** ■ Dark Brown ■ Terracotta ■ Slate Grey

**Dimensions** - W: 1450mm D: 750mm



MADE IN THE UK



UV STABLE

## AMBLESIDE CANOPY DUO-PITCH




Gallows brackets, mock flashing and fitting instructions included.

Stylish and functional, the Ambleside is a simple, traditional style pitched roof canopy with a tile-effect roof in three colours.

**Colours:** ■ Dark Brown ■ Terracotta ■ Slate Grey

**Dimensions** - W: 1450mm D: 750mm



MADE IN THE UK



UV STABLE

# CONISTON CANOPY FLAT ROOF




A flat roof canopy has a smooth roof and profile fascia with grey lead-effect roof and corbells.

**Canopy dimensions** - W: 1660mm D: 575mm.

### Custom dimensions available -

We can also manufacture the Coniston Door Canopy in any width between 1000mm - 1660mm with a projection of 575mm contact us for details.



MADE IN THE UK



UV STABLE


# DERWENT CANOPY DUO-PITCH



A striking door canopy with pitched roof and attractive lattice design to front the smooth white frame is complemented by a tile-effect roof which is available in three colours.

**Colours:** ■ Dark Brown ■ Terracotta ■ Slate Grey

**Dimensions** - W: 1450mm D: 750mm



MADE IN THE UK



UV STABLE

# FEWSTON CANOPY DUO-PITCH




Gallows brackets, mock flashing and fitting instructions included.

A pitched door canopy with tile-effect roof and smooth white fascia.

The door canopy roof has a mock lead-effect flashing which is included.

**Colours:** ■ Dark Brown ■ Terracotta ■ Slate Grey

**Dimensions** - W: 1450mm D: 750mm



MADE IN THE UK



UV STABLE



# GRASSMERE CANOPY MONO-PITCH




Gallows brackets, flashing and fitting instructions included.

A mono-pitch door canopy with tongue and groove-effect ends, smooth fascia and tile-effect roof available in 3 colours with gallows brackets.

**Colours:** ■ Dark Brown ■ Terracotta ■ Slate Grey

In three widths to suit a wide range of doors:



# KEILDER CANOPY DUO-PITCH




Gallows brackets, flashing and fitting instructions included.

An attractive door canopy featuring a decorative central spur and gallows brackets.

The frame is finished in brilliant white. The moulded tiles are available in three colours:

**Colours:** ■ Dark Brown ■ Terracotta ■ Slate Grey



# KESWICK CANOPY DUO-PITCH




Gallows brackets, flashing and fitting instructions included.

A modern duo-pitch canopy with tile-effect roof, chevron lining, a smooth white fascia and gallows brackets.

The door canopy roof has a mock lead-effect flashing above the tile-effect, available in three colours:

**Colours:** ■ Dark Brown ■ Terracotta ■ Slate Grey




# THIRLMERE CANOPY WITH ORNATE CORBELS



Traditional style lead-effect canopy with ornate corbels finished in white.  
 Grey lead coloured roof is coated with UV stable gel to give excellent colour fastness.  
 Comes with full fitting instructions



**Dimensions** - W: 1660mm D: 744mm



# ULLSWATER CANOPY MONO-PITCH




Tile-effect roof with lead-effect flashing and gallows brackets  
 The roof is offered in three colours.

**Colours:** ■ Dark Brown ■ Terracotta ■ Slate Grey



**Dimensions** - **1)** W: 1310mm D: 585mm  
**2)** W: 1800mm D: 585mm **3)** W: 2100mm D: 585mm



# WINDERMERE CANOPY FLAT ROOF



Also available in any size up to 3610mm wide - Contact us for details.

An economical flat door canopy with concealed fixing points and a grey lead-effect roof.

Comes with full fitting instructions and lead-effect flashing.



**Dimensions** -  
 W: 1700mm, 2150mm, 2700mm or 3450mm with a projection of 595mm and is 205mm deep





